

2017-11-03

Mažeikiai

2017 m. spalio mėn.	Viršutinis šilumingumas kWh/m <sup>3</sup>		Perskaičiavimo koeficientas
	0 C° matavimo	20 C° matavimo	
1	11,7721	10,9630	1,0738
2	11,7733	10,9641	1,0738
3	11,7729	10,9638	1,0738
4	11,6595	10,8582	1,0738
5	11,4432	10,6567	1,0738
6	11,4430	10,6565	1,0738
7	11,4608	10,6731	1,0738
8	11,6316	10,8322	1,0738
9	11,6230	10,8242	1,0738
10	11,2942	10,5180	1,0738
11	11,3689	10,5875	1,0738
12	11,4436	10,6571	1,0738
13	11,4327	10,6470	1,0738
14	11,4488	10,6619	1,0738
15	11,4559	10,6686	1,0738
16	11,4626	10,6748	1,0738
17	11,4683	10,6801	1,0738
18	11,4705	10,6822	1,0738
19	11,4738	10,6852	1,0738
20	11,4774	10,6886	1,0738
21	11,473	10,6845	1,0738
22	11,4772	10,6884	1,0738
23	11,4769	10,6881	1,0738
24	11,4763	10,6876	1,0738
25	11,6681	10,8662	1,0738
26	11,5155	10,7241	1,0738
27	11,4536	10,6664	1,0738
28	11,4520	10,6649	1,0738
29	11,4567	10,6693	1,0738
30	11,4606	10,6729	1,0738
31	11,4645	10,6766	1,0738
<b>Vidurkis</b>	<b>11,5081</b>	<b>10,7172</b>	-

\* Skirstymo sistemos operatoriaus viršutinio dujų šilumingumo vertės nurodytos esant norminėms sąlygoms: +25 °C degimo temperatūrai, +20°C matavimo temperatūrai ir 101,325 kPa absoliutiniam slėgiui bei esant sausoms dujoms.