

2022 m. kovo mėn.	Viršutinis šilumingumas kWh/m ³		Perskaičiavimo koeficientas
	0 C° matavimo	20 C° matavimo	
1	11,3643	10,5833	1,0738
2	11,3441	10,5644	1,0738
3	11,3387	10,5594	1,0738
4	11,3392	10,5599	1,0738
5	11,3418	10,5623	1,0738
6	11,3497	10,5697	1,0738
7	11,3514	10,5712	1,0738
8	11,3521	10,5719	1,0738
9	11,3449	10,5652	1,0738
10	11,2956	10,5193	1,0738
11	11,2909	10,5149	1,0738
12	11,2926	10,5165	1,0738
13	11,2952	10,5189	1,0738
14	11,2997	10,5231	1,0738
15	11,3002	10,5236	1,0738
16	11,2699	10,4953	1,0738
17	11,2758	10,5008	1,0738
18	11,2801	10,5048	1,0738
19	11,2838	10,5083	1,0738
20	11,2785	10,5034	1,0738
21	11,2787	10,5035	1,0738
22	11,2805	10,5052	1,0738
23	11,2832	10,5077	1,0738
24	11,288	10,5122	1,0738
25	11,2856	10,5100	1,0738
26	11,2865	10,5108	1,0738
27	11,2893	10,5134	1,0738
28	11,2356	10,4634	1,0738
29	11,1983	10,4287	1,0738
30	11,2064	10,4362	1,0738
31	11,2144	10,4437	1,0738
Vidurkis	11,2947	10,5184	-

* Skirstymo sistemos operatoriaus viršutinio dujų šilumingumo vertės nurodytos esant norminėms sąlygoms: +25 °C degimo temperatūrai, +20°C matavimo temperatūrai ir 101,325 kPa absoliutiniam slėgiui bei esant sausoms dujoms.