

2023-11-03  
 Mažeikiai

2023 m. spalio mėn.	Viršutinis šilumingumas kWh/m <sup>3</sup>		Perskaičiavimo koeficientas
	0 C° matavimo	20 C° matavimo	
1	11,3731	10,5915	1,0738
2	11,3755	10,5937	1,0738
3	11,3727	10,5911	1,0738
4	11,3745	10,5928	1,0738
5	11,3751	10,5933	1,0738
6	11,3748	10,5930	1,0738
7	11,3750	10,5932	1,0738
8	11,3779	10,5959	1,0738
9	11,3190	10,5411	1,0738
10	11,2456	10,4727	1,0738
11	11,2473	10,4743	1,0738
12	11,2493	10,4762	1,0738
13	11,2703	10,4957	1,0738
14	11,3242	10,5459	1,0738
15	11,3292	10,5506	1,0738
16	11,3409	10,5615	1,0738
17	11,3511	10,5710	1,0738
18	11,3542	10,5738	1,0738
19	11,3558	10,5753	1,0738
20	11,3591	10,5784	1,0738
21	11,3603	10,5795	1,0738
22	11,3649	10,5838	1,0738
23	11,3703	10,5888	1,0738
24	11,3635	10,5825	1,0738
25	11,3555	10,5751	1,0738
26	11,3554	10,5750	1,0738
27	11,3561	10,5756	1,0738
28	11,3576	10,5770	1,0738
29	11,3595	10,5788	1,0738
30	11,3621	10,5812	1,0738
31	11,3618	10,5809	1,0738
<b>Vidurkis</b>	<b>11,3455</b>	<b>10,5658</b>	-

\* Skirstymo sistemos operatoriaus viršutinio dujų šilumingumo vertės nurodytos esant norminėms sąlygoms: +25 °C degimo temperatūrai, +20°C matavimo temperatūrai ir 101,325 kPa absoliutiniam slėgiui bei esant sausoms dujoms.