

2016-08-02

Mažeikiai

2016 m. liepos mėn.	Viršutinis šilumingumas kWh/m <sup>3</sup>		Perskaičiavimo koeficientas
	0 C° matavimo	20 C° matavimo	
1	11,739	10,9322	1,0738
2	11,7806	10,9709	1,0738
3	11,7559	10,9479	1,0738
4	11,7380	10,9313	1,0738
5	11,7549	10,9470	1,0738
6	11,7703	10,9614	1,0738
7	11,7767	10,9673	1,0738
8	11,7637	10,9552	1,0738
9	11,7456	10,9383	1,0738
10	11,7362	10,9296	1,0738
11	11,7147	10,9096	1,0738
12	11,7015	10,8973	1,0738
13	11,7133	10,9083	1,0738
14	11,7395	10,9327	1,0738
15	11,7605	10,9522	1,0738
16	11,7904	10,9801	1,0738
17	11,8068	10,9953	1,0738
18	11,8005	10,9895	1,0738
19	11,7989	10,9880	1,0738
20	11,8164	11,0043	1,0738
21	11,8267	11,0139	1,0738
22	11,7985	10,9876	1,0738
23	11,8110	10,9993	1,0738
24	11,8216	11,0091	1,0738
25	11,8323	11,0191	1,0738
26	11,8361	11,0226	1,0738
27	11,8522	11,0376	1,0738
28	11,8342	11,0209	1,0738
29	11,7764	10,967	1,0738
30	11,746	10,9387	1,0738
31	11,6911	10,8876	1,0738
<b>Vidurkis</b>	<b>11,7751</b>	<b>10,9659</b>	-

\* Skirstymo sistemos operatoriaus viršutinio dujų šilumingumo vertės nurodytos esant norminėms sąlygoms: +25 °C degimo temperatūrai, +20°C matavimo temperatūrai ir 101,325 kPa absoliutiniam slėgiui bei esant sausoms dujoms.