

2022 m. spalio mėn.	Viršutinis šilumingumas kWh/m ³		Perskaičiavimo koeficientas
	0 C° matavimo	20 C° matavimo	
1	11,7294	10,9233	1,0738
2	11,7269	10,9209	1,0738
3	11,7268	10,9208	1,0738
4	11,727	10,9210	1,0738
5	11,7267	10,9207	1,0738
6	11,7243	10,9185	1,0738
7	11,744	10,9369	1,0738
8	11,7631	10,9546	1,0738
9	11,7686	10,9598	1,0738
10	11,7604	10,9521	1,0738
11	11,7762	10,9668	1,0738
12	11,7988	10,9879	1,0738
13	11,7342	10,9277	1,0738
14	11,7366	10,9300	1,0738
15	11,7439	10,9368	1,0738
16	11,7516	10,9439	1,0738
17	11,7391	10,9323	1,0738
18	11,7358	10,9292	1,0738
19	11,7809	10,9712	1,0738
20	11,755	10,9471	1,0738
21	11,7606	10,9523	1,0738
22	11,7704	10,9614	1,0738
23	11,6686	10,8666	1,0738
24	11,3886	10,6059	1,0738
25	11,3922	10,6092	1,0738
26	11,3944	10,6113	1,0738
27	11,3948	10,6117	1,0738
28	11,3939	10,6108	1,0738
29	11,3963	10,6131	1,0738
30	11,398	10,6146	1,0738
31	11,4002	10,6167	1,0738
Vidurkis	11,6551	10,8540	-

* Skirstymo sistemos operatoriaus viršutinio dujų šilumingumo vertės nurodytos esant norminėms sąlygoms: +25 °C degimo temperatūrai, +20°C matavimo temperatūrai ir 101,325 kPa absoliutiniam slėgiui bei esant sausoms dujoms.